

Karnic CS700



Specification

Length Overall	7.65 m
Hull Length	6.80 m
Beam	2.45 m
Draft	0.38 m
Approximate Weight (Dry)	1480 Kg
Fuel Capacity	200 L
Water Capacity	45 L
Certification Persons	8
Design Category	C
Engine Type	Single OB, 25"
Maximum Power	250 hp
Cockpit Depth	0.82 m
Freeboard Aft	1.02 m
Freeboard Forward	1.20 m



Standard Specification

All composite foam injected hull structure with osmosis resistant vinylester skin coat
Fully monitored manufacturing process with Injection Technology for all small composite components

Self bailing cockpit with non-skid floor surfaces
 Fused electrics package with navigation and illumination lights, marine horn and bilge pump
 Anchor roller and dedicated recess for optional windlass
 Heavy duty, stainless steel, styled cleats at bow and stern
 Welded stainless steel rails
 Walk-through stern with collapsible motor well hatch
 Stainless steel deck hardware and hinges
 Recessed, weather protected marine grade cockpit speakers(4)
 Beverage holders
 Ergonomic helm with pockets and beverage holders
 Marine grade electrical switches, compass, media/receiver, USB and 12V sockets and Karnic sport steering wheel
 Styled console windshield
 Stern, under seat wells (2) removable for extra storage and access to bilge
 Cockpit side storage pockets
 Drainable anchor storage compartment

Pricing

Description		Price EUR
Model CS700 S with Weekender Helm seat with side Galley		39610
Cherry, Two-Tone Burgundy interior and black canvas		270
Igloo Coolbox 34 Liter (installed near Galley)		120
Folding Seat with cushion on cockpit side, Port & Starboard		820
Cabin tri-fold table removable to cockpit		380
Swim platforms, with concealed ladder		885
Seadek floor, swim platform and aft deck		490
Seadek floor, bow and sunbed sides		420
Seadek floor, cockpit		1300
Second boarding ladder from port swim platform		150
Bow full size sunbed with adjustable back cushions		615
Sunbed cushion weather protection cover		345
Stern bench backrest weather protection cover		200
Bimini top, forward cockpit		920
Bimini Top, aft cockpit (connected with fwd cockpit bimini)		510
Marine toilet with holding tank		1450
Fire extinguisher		80
Rodholders 1 pair		90
Hydraulic steering with steering cylinder installation for system venting		1080
Anchor Windlass Electric (chain and anchor is not included)		1600
2 x Battery with master switch		510
Bow Thruster		1960
Total Including Options		EUR 53,805
HKD/EUR Rate : 8.6		462,723 HKD

Shipping cost to Hong Kong :	HKD 48,000
Cargo Insurance :	HKD 3,700
Documentation + Imp / Exp Charge :	HKD 6,200
Hong Kong Local Delivery + Trucking + Assembly + Testing :	HKD 36,000
HK Marine Dept Survey Charges	HKD 7,000

Engine : Suzuki 250 (4 stroke) with installation, delivery, lifting, testing, Gauges, Wiring
 1 yr warranty : HKD 165,000/-

HKD 728,623/-

Pictures below









